

ICD10 EZ-Sheet for Hip Arthroplasty

ICD10 BITA* - S31.815

1. OA of hip
 - a. Bilateral primary – M16.0
 - b. Unilateral primary, R – M16.11
 - c. Unilateral primary, L – M16.12
 - d. Bilateral from DDH – M16.2
 - e. Unilateral from DDH, R – M16.31
 - f. Unilateral from DDH, L – M16.32
 - g. Bilateral post-traumatic – M16.4
 - h. Unilateral post-traumatic, R – M16.51
 - i. Unilateral post-traumatic, L – M16.52
 - j. Bilateral other secondary – M16.6
 - k. Unilateral other secondary – M16.7
2. Avascular Necrosis
 - a. Idiopathic, R – M87.051
 - b. Idiopathic, L – M87.052
 - c. Due to drugs, R – M87.151
 - d. Due to drugs, L – M87.152
 - e. Due to trauma, R – M87.251
 - f. Due to trauma, L – M87.252
 - g. Other secondary, R – M87.351
 - h. Other secondary, L – M87.352
3. Rheumatoid arthritis - +Rheum factor and without:
Felty's (M05.05_), Lung (M15.15_), vasculitis (M05.25_), Heart dz. (M05.35_), myopathy (M05.45_), polyneuropathy (M05.55_), involvement of other organs and systems (M05.65_)
 - a. Hip, R – M05.751
 - b. Hip, L – M05.752
 - c. JRA, R (+ or -) – M08.051
 - d. JRA, L (+ or -) – M08.052
4. Rheumatoid arthritis - -Rheum factor
 - a. Hip, R – M06.051
 - b. Hip, L – M06.052
5. Other arthritides
 - a. Septic hip Staph, R – M00.051
 - b. Septic hip Staph, L – M00.052
 - c. Septic hip, pneumococc, R – M00.151
 - d. Septic hip, pneumocooc, L – M00.152
 - e. Septic hip, Strep, R – M00.251
 - f. Septic hip, Strep, L – M00.252
 - g. Septic hip, other, R – M00.851
 - h. Septic hip, other, L – M00.852
 - i. TB – A 18.02
 - j. After GI bypass, R – M02.051
 - k. After GI bypass, L – M02.052

- l. Charcot's, R – M14.651
 - m. Charcot's, L – M14.652
6. Other hip pathology
- a. DDH, dislocated, R – Q65.01
 - b. DDH, dislocated, L – Q65.02
 - c. DDH, dislocated, bilat – Q65.1
 - d. DDH, subluxated, R – Q65.31
 - e. DDH, subluxated, L – Q65.32
 - f. DDH, subluxated, bilat – Q65.4
 - g. Coxa valga – Q65.81
 - h. Coxa vara – Q65.82
 - i. Other specified DDH – Q65.89
 - j. Protrusio Acetabuli – M24.7
7. Other diagnoses
- a. Hip pain, R – M25.551
 - b. Hip pain, L – M25.552
 - c. Stiffness, R – M25.651
 - d. Stiffness, L – M25.652
 - e. Osteophyte, R – M25.751
 - f. Osteophyte, L – M25.752
 - g. Contracture, R – M24.551
 - h. Contracture, L – M24.552
 - i. Ankylosis, R – M24.651
 - j. Ankylosis, L – M24.652
 - k. Rec. Disloc – no THA, R - M24.451
 - l. Rec. Disloc – no THA, L – M24.452
 - m. Unequal leg, R short – M21.751
 - n. Unequal leg, L short – M21.752
 - o. Trochanteric bursitis, R – M70.61
 - p. Trochanteric bursitis, L – M70.62
 - q. Other hip bursitis – M70.7_
 - r. Other ossification of muscle thigh – M61.55_
 - s. Lumbar radiculopathy – M54.16
 - t. Lumbar stenosis – M48.06
8. Aftercare
- a. Following jt repl. – Z47.1
 - b. R THA – Z96.641
 - c. L THA – Z96.642
 - d. Bilat THA – Z96.643
9. Complication (all need 7th!)
- a. Deep Wound dehiscence – T81.32
 - b. Broken implant, R – T84.010
 - c. Broken implant, L – T84.011
 - d. Dislocation, R – T84.020
 - e. Dislocation, L – T84.021
 - f. Loosening, R – T84.030
 - g. Loosening, L – T84.031
 - h. Peri fx, R – T84.040
 - i. Peri fx, L – T84.041
 - j. Peri osteolysis, R – T84.050
 - k. Peri osteolysis, L – T84.051
 - l. Wear, R – T84.060
 - m. Wear, L – T84.061
 - n. Infection, R – T84.51
 - o. Infection, L – T84.52
 - p. Toxic effect chromium – T56.2X1
 - q. Toxic effect unspec (cobalt) – T56.91
 - r. Other mech complic, R – T84.090
 - s. Other mech complic. L – T84.091

- t. Major osseous defect pelvis
– M89.75_
- 10. General complications
 - a. Superficial wound
dehiscence – T81.31
 - b. Intraoperative hemorrhage –
M96.81_
 - c. Post-procedure hemorrhage
– M96.83_
 - d. Intraop fracture of femur –
M96.66_
 - e. Intraop fracture of pelvis –
M96.65