

## ADDENDUM: Exclusions for Hip Fractures

The addendum lists relevant hip fracture ICD - 10 - CM codes S72, M80, M84, and S32, which are the denominator exclusions for the AAHKS Primary Total Hip Arthroplasty Measurement Set.

Retrieved from the ICD - 10 - CM website, 1/25/16, 3/7/16:

Hip Fracture: <http://www.icd10data.com/ICD10CM/Codes/S00-T88/S70-S79/S72/S72.0->

Intertrochanteric/pertrochanteric femur fractures:

<http://www.icd10data.com/ICD10CM/Codes/S00-T88/S70-S79/S72/S72.1->

Acetabulum Fracture: <http://www.icd10data.com/ICD10CM/Codes/S00-T88/S30-S39/S32/S32.4->

Pathologic fracture of pelvis/femur associated with osteoporosis, M80.05 group:

<http://www.icd10data.com/ICD10CM/Codes/M00-M99/M80-M85/M80->

Stress fracture of the hip (femur and acetabulum), M84.35 group:

<http://www.icd10data.com/ICD10CM/Codes/M00-M99/M80-M85/M84/M84.3->

Pathological Hip Fracture: <http://www.icd10data.com/ICD10CM/Codes/M00-M99/M80-M85/M84/M84.4->

Pathologic fracture of pelvis/femur associated with neoplastic disease, M84.55 group:

<http://www.icd10data.com/ICD10CM/Codes/M00-M99/M80-M85/M84/M84.5-#M84.5>

### Full Listing of Codes:

S72.0 Fracture of head and neck of femur

S72.00 Fracture of unspecified part of neck of femur

S72.001 Fracture of unspecified part of neck of right femur

S72.001A..... initial encounter for closed fracture

S72.001B..... initial encounter for open fracture type I or II

S72.001C..... initial encounter for open fracture type IIIA, IIIB, or IIIC

S72.001D..... subsequent encounter for closed fracture with routine healing

S72.001E..... subsequent encounter for open fracture type I or II with routine healing

S72.001F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing

S72.001G..... subsequent encounter for closed fracture with delayed healing

S72.001H..... subsequent encounter for open fracture type I or II with delayed healing

S72.001J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing

S72.001K..... subsequent encounter for closed fracture with nonunion

S72.001M..... subsequent encounter for open fracture type I or II with nonunion

S72.001N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

S72.001P..... subsequent encounter for closed fracture with malunion

S72.001Q..... subsequent encounter for open fracture type I or II with malunion

S72.001R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion

S72.001S..... sequela

S72.002 Fracture of unspecified part of neck of left femur

S72.002A..... initial encounter for closed fracture

S72.002B..... initial encounter for open fracture type I or II

S72.002C..... initial encounter for open fracture type IIIA, IIIB, or IIIC

S72.002D..... subsequent encounter for closed fracture with routine healing

S72.002E..... subsequent encounter for open fracture type I or II with routine healing

S72.002F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing

S72.002G..... subsequent encounter for closed fracture with delayed healing

S72.002H..... subsequent encounter for open fracture type I or II with delayed healing

S72.002J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing

S72.002K..... subsequent encounter for closed fracture with nonunion  
 S72.002M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.002N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.002P..... subsequent encounter for closed fracture with malunion  
 S72.002Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.002R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.002S..... sequela  
 S72.009 Fracture of unspecified part of neck of unspecified femur  
 S72.009A..... initial encounter for closed fracture  
 S72.009B..... initial encounter for open fracture type I or II  
 S72.009C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.009D..... subsequent encounter for closed fracture with routine healing  
 S72.009E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.009F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.009G..... subsequent encounter for closed fracture with delayed healing  
 S72.009H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.009J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.009K..... subsequent encounter for closed fracture with nonunion  
 S72.009M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.009N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.009P..... subsequent encounter for closed fracture with malunion  
 S72.009Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.009R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.009S..... sequela  
 S72.01 Unspecified intracapsular fracture of femur  
 S72.011 Unspecified intracapsular fracture of right femur  
 S72.011A..... initial encounter for closed fracture  
 S72.011B..... initial encounter for open fracture type I or II  
 S72.011C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.011D..... subsequent encounter for closed fracture with routine healing  
 S72.011E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.011F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.011G..... subsequent encounter for closed fracture with delayed healing  
 S72.011H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.011J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.011K..... subsequent encounter for closed fracture with nonunion  
 S72.011M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.011N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.011P..... subsequent encounter for closed fracture with malunion  
 S72.011Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.011R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.011S..... sequela  
 S72.012 Unspecified intracapsular fracture of left femur  
 S72.012A..... initial encounter for closed fracture  
 S72.012B..... initial encounter for open fracture type I or II  
 S72.012C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.012D..... subsequent encounter for closed fracture with routine healing  
 S72.012E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.012F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.012G..... subsequent encounter for closed fracture with delayed healing  
 S72.012H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.012J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.012K..... subsequent encounter for closed fracture with nonunion  
 S72.012M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.012N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

S72.012P..... subsequent encounter for closed fracture with malunion  
 S72.012Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.012R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.012S..... sequela  
 S72.019 Unspecified intracapsular fracture of unspecified femur  
 S72.019A..... initial encounter for closed fracture  
 S72.019B..... initial encounter for open fracture type I or II  
 S72.019C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.019D..... subsequent encounter for closed fracture with routine healing  
 S72.019E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.019F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.019G..... subsequent encounter for closed fracture with delayed healing  
 S72.019H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.019J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.019K..... subsequent encounter for closed fracture with nonunion  
 S72.019M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.019N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.019P..... subsequent encounter for closed fracture with malunion  
 S72.019Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.019R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.019S..... sequela  
 S72.03 Midcervical fracture of femur  
 S72.031 Displaced midcervical fracture of right femur  
 S72.031A..... initial encounter for closed fracture  
 S72.031B..... initial encounter for open fracture type I or II  
 S72.031C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.031D..... subsequent encounter for closed fracture with routine healing  
 S72.031E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.031F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.031G..... subsequent encounter for closed fracture with delayed healing  
 S72.031H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.031J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.031K..... subsequent encounter for closed fracture with nonunion  
 S72.031M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.031N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.031P..... subsequent encounter for closed fracture with malunion  
 S72.031Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.031R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.031S..... sequela  
 S72.032 Displaced midcervical fracture of left femur  
 S72.032A..... initial encounter for closed fracture  
 S72.032B..... initial encounter for open fracture type I or II  
 S72.032C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.032D..... subsequent encounter for closed fracture with routine healing  
 S72.032E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.032F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.032G..... subsequent encounter for closed fracture with delayed healing  
 S72.032H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.032J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.032K..... subsequent encounter for closed fracture with nonunion  
 S72.032M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.032N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.032P..... subsequent encounter for closed fracture with malunion  
 S72.032Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.032R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion

S72.032S..... sequela  
 S72.033 Displaced midcervical fracture of unspecified femur  
   S72.033A..... initial encounter for closed fracture  
   S72.033B..... initial encounter for open fracture type I or II  
   S72.033C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
   S72.033D..... subsequent encounter for closed fracture with routine healing  
   S72.033E..... subsequent encounter for open fracture type I or II with routine healing  
   S72.033F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
   S72.033G..... subsequent encounter for closed fracture with delayed healing  
   S72.033H..... subsequent encounter for open fracture type I or II with delayed healing  
   S72.033J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
   S72.033K..... subsequent encounter for closed fracture with nonunion  
   S72.033M..... subsequent encounter for open fracture type I or II with nonunion  
   S72.033N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
   S72.033P..... subsequent encounter for closed fracture with malunion  
   S72.033Q..... subsequent encounter for open fracture type I or II with malunion  
   S72.033R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
   S72.033S..... sequela  
 S72.034 Nondisplaced midcervical fracture of right femur  
   S72.034A..... initial encounter for closed fracture  
   S72.034B..... initial encounter for open fracture type I or II  
   S72.034C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
   S72.034D..... subsequent encounter for closed fracture with routine healing  
   S72.034E..... subsequent encounter for open fracture type I or II with routine healing  
   S72.034F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
   S72.034G..... subsequent encounter for closed fracture with delayed healing  
   S72.034H..... subsequent encounter for open fracture type I or II with delayed healing  
   S72.034J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
   S72.034K..... subsequent encounter for closed fracture with nonunion  
   S72.034M..... subsequent encounter for open fracture type I or II with nonunion  
   S72.034N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
   S72.034P..... subsequent encounter for closed fracture with malunion  
   S72.034Q..... subsequent encounter for open fracture type I or II with malunion  
   S72.034R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
   S72.034S..... sequela  
 S72.035 Nondisplaced midcervical fracture of left femur  
   S72.035A..... initial encounter for closed fracture  
   S72.035B..... initial encounter for open fracture type I or II  
   S72.035C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
   S72.035D..... subsequent encounter for closed fracture with routine healing  
   S72.035E..... subsequent encounter for open fracture type I or II with routine healing  
   S72.035F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
   S72.035G..... subsequent encounter for closed fracture with delayed healing  
   S72.035H..... subsequent encounter for open fracture type I or II with delayed healing  
   S72.035J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
   S72.035K..... subsequent encounter for closed fracture with nonunion  
   S72.035M..... subsequent encounter for open fracture type I or II with nonunion  
   S72.035N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
   S72.035P..... subsequent encounter for closed fracture with malunion  
   S72.035Q..... subsequent encounter for open fracture type I or II with malunion  
   S72.035R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
   S72.035S..... sequela  
 S72.036 Nondisplaced midcervical fracture of unspecified femur  
   S72.036A..... initial encounter for closed fracture  
   S72.036B..... initial encounter for open fracture type I or II

S72.036C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.036D..... subsequent encounter for closed fracture with routine healing  
 S72.036E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.036F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.036G..... subsequent encounter for closed fracture with delayed healing  
 S72.036H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.036J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.036K..... subsequent encounter for closed fracture with nonunion  
 S72.036M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.036N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.036P..... subsequent encounter for closed fracture with malunion  
 S72.036Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.036R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.036S..... sequela  
 S72.04 Fracture of base of neck of femur  
 S72.041 Displaced fracture of base of neck of right femur  
 S72.041A..... initial encounter for closed fracture  
 S72.041B..... initial encounter for open fracture type I or II  
 S72.041C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.041D..... subsequent encounter for closed fracture with routine healing  
 S72.041E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.041F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.041G..... subsequent encounter for closed fracture with delayed healing  
 S72.041H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.041J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.041K..... subsequent encounter for closed fracture with nonunion  
 S72.041M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.041N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.041P..... subsequent encounter for closed fracture with malunion  
 S72.041Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.041R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.041S..... sequela  
 S72.042 Displaced fracture of base of neck of left femur  
 S72.042A..... initial encounter for closed fracture  
 S72.042B..... initial encounter for open fracture type I or II  
 S72.042C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.042D..... subsequent encounter for closed fracture with routine healing  
 S72.042E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.042F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.042G..... subsequent encounter for closed fracture with delayed healing  
 S72.042H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.042J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.042K..... subsequent encounter for closed fracture with nonunion  
 S72.042M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.042N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.042P..... subsequent encounter for closed fracture with malunion  
 S72.042Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.042R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.042S..... sequela  
 S72.043 Displaced fracture of base of neck of unspecified femur  
 S72.043A..... initial encounter for closed fracture  
 S72.043B..... initial encounter for open fracture type I or II  
 S72.043C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.043D..... subsequent encounter for closed fracture with routine healing  
 S72.043E..... subsequent encounter for open fracture type I or II with routine healing



S72.046K..... subsequent encounter for closed fracture with nonunion  
 S72.046M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.046N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.046P..... subsequent encounter for closed fracture with malunion  
 S72.046Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.046R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.046S..... sequela  
 S72.05 Unspecified fracture of head of femur  
 S72.051 Unspecified fracture of head of right femur  
 S72.051A..... initial encounter for closed fracture  
 S72.051B..... initial encounter for open fracture type I or II  
 S72.051C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.051D..... subsequent encounter for closed fracture with routine healing  
 S72.051E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.051F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.051G..... subsequent encounter for closed fracture with delayed healing  
 S72.051H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.051J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.051K..... subsequent encounter for closed fracture with nonunion  
 S72.051M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.051N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.051P..... subsequent encounter for closed fracture with malunion  
 S72.051Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.051R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.051S..... sequela  
 S72.052 Unspecified fracture of head of left femur  
 S72.052A..... initial encounter for closed fracture  
 S72.052B..... initial encounter for open fracture type I or II  
 S72.052C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.052D..... subsequent encounter for closed fracture with routine healing  
 S72.052E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.052F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.052G..... subsequent encounter for closed fracture with delayed healing  
 S72.052H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.052J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.052K..... subsequent encounter for closed fracture with nonunion  
 S72.052M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.052N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.052P..... subsequent encounter for closed fracture with malunion  
 S72.052Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.052R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.052S..... sequela  
 S72.059 Unspecified fracture of head of unspecified femur  
 S72.059A..... initial encounter for closed fracture  
 S72.059B..... initial encounter for open fracture type I or II  
 S72.059C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.059D..... subsequent encounter for closed fracture with routine healing  
 S72.059E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.059F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.059G..... subsequent encounter for closed fracture with delayed healing  
 S72.059H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.059J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.059K..... subsequent encounter for closed fracture with nonunion  
 S72.059M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.059N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion

S72.059P..... subsequent encounter for closed fracture with malunion  
 S72.059Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.059R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.059S..... sequela  
 S72.06 Articular fracture of head of femur  
 S72.061 Displaced articular fracture of head of right femur  
 S72.061A..... initial encounter for closed fracture  
 S72.061B..... initial encounter for open fracture type I or II  
 S72.061C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.061D..... subsequent encounter for closed fracture with routine healing  
 S72.061E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.061F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.061G..... subsequent encounter for closed fracture with delayed healing  
 S72.061H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.061J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.061K..... subsequent encounter for closed fracture with nonunion  
 S72.061M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.061N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.061P..... subsequent encounter for closed fracture with malunion  
 S72.061Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.061R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.061S..... sequela  
 S72.062 Displaced articular fracture of head of left femur  
 S72.062A..... initial encounter for closed fracture  
 S72.062B..... initial encounter for open fracture type I or II  
 S72.062C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.062D..... subsequent encounter for closed fracture with routine healing  
 S72.062E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.062F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.062G..... subsequent encounter for closed fracture with delayed healing  
 S72.062H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.062J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.062K..... subsequent encounter for closed fracture with nonunion  
 S72.062M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.062N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.062P..... subsequent encounter for closed fracture with malunion  
 S72.062Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.062R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.062S..... sequela  
 S72.063 Displaced articular fracture of head of unspecified femur  
 S72.063A..... initial encounter for closed fracture  
 S72.063B..... initial encounter for open fracture type I or II  
 S72.063C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.063D..... subsequent encounter for closed fracture with routine healing  
 S72.063E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.063F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.063G..... subsequent encounter for closed fracture with delayed healing  
 S72.063H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.063J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.063K..... subsequent encounter for closed fracture with nonunion  
 S72.063M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.063N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.063P..... subsequent encounter for closed fracture with malunion  
 S72.063Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.063R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion



S72.063S..... sequela  
 S72.064 Nondisplaced articular fracture of head of right femur  
 S72.064A..... initial encounter for closed fracture  
 S72.064B..... initial encounter for open fracture type I or II  
 S72.064C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.064D..... subsequent encounter for closed fracture with routine healing  
 S72.064E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.064F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.064G..... subsequent encounter for closed fracture with delayed healing  
 S72.064H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.064J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.064K..... subsequent encounter for closed fracture with nonunion  
 S72.064M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.064N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.064P..... subsequent encounter for closed fracture with malunion  
 S72.064Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.064R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.064S..... sequela  
 S72.065 Nondisplaced articular fracture of head of left femur  
 S72.065A..... initial encounter for closed fracture  
 S72.065B..... initial encounter for open fracture type I or II  
 S72.065C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.065D..... subsequent encounter for closed fracture with routine healing  
 S72.065E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.065F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.065G..... subsequent encounter for closed fracture with delayed healing  
 S72.065H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.065J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.065K..... subsequent encounter for closed fracture with nonunion  
 S72.065M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.065N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.065P..... subsequent encounter for closed fracture with malunion  
 S72.065Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.065R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.065S..... sequela  
 S72.066 Nondisplaced articular fracture of head of unspecified femur  
 S72.066A..... initial encounter for closed fracture  
 S72.066B..... initial encounter for open fracture type I or II  
 S72.066C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.066D..... subsequent encounter for closed fracture with routine healing  
 S72.066E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.066F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.066G..... subsequent encounter for closed fracture with delayed healing  
 S72.066H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.066J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.066K..... subsequent encounter for closed fracture with nonunion  
 S72.066M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.066N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.066P..... subsequent encounter for closed fracture with malunion  
 S72.066Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.066R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.066S..... sequela  
 S72.09 Other fracture of head and neck of femur  
 S72.091 Other fracture of head and neck of right femur  
 S72.091A..... initial encounter for closed fracture

S72.091B..... initial encounter for open fracture type I or II  
 S72.091C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.091D..... subsequent encounter for closed fracture with routine healing  
 S72.091E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.091F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.091G..... subsequent encounter for closed fracture with delayed healing  
 S72.091H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.091J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.091K..... subsequent encounter for closed fracture with nonunion  
 S72.091M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.091N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.091P..... subsequent encounter for closed fracture with malunion  
 S72.091Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.091R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.091S..... sequela  
 S72.092 Other fracture of head and neck of left femur  
 S72.092A..... initial encounter for closed fracture  
 S72.092B..... initial encounter for open fracture type I or II  
 S72.092C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.092D..... subsequent encounter for closed fracture with routine healing  
 S72.092E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.092F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.092G..... subsequent encounter for closed fracture with delayed healing  
 S72.092H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.092J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.092K..... subsequent encounter for closed fracture with nonunion  
 S72.092M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.092N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.092P..... subsequent encounter for closed fracture with malunion  
 S72.092Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.092R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.092S..... sequela  
 S72.099 Other fracture of head and neck of unspecified femur  
 S72.099A..... initial encounter for closed fracture  
 S72.099B..... initial encounter for open fracture type I or II  
 S72.099C..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.099D..... subsequent encounter for closed fracture with routine healing  
 S72.099E..... subsequent encounter for open fracture type I or II with routine healing  
 S72.099F..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.099G..... subsequent encounter for closed fracture with delayed healing  
 S72.099H..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.099J..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.099K..... subsequent encounter for closed fracture with nonunion  
 S72.099M..... subsequent encounter for open fracture type I or II with nonunion  
 S72.099N..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.099P..... subsequent encounter for closed fracture with malunion  
 S72.099Q..... subsequent encounter for open fracture type I or II with malunion  
 S72.099R..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.099S..... sequela  
 S72.1 Pertrochanteric fracture  
 S72.10 Unspecified trochanteric fracture of femur  
 S72.101 Unspecified trochanteric fracture of right femur  
 S72.101A ..... initial encounter for closed fracture  
 S72.101B ..... initial encounter for open fracture type I or II  
 S72.101C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC

S72.101D ..... subsequent encounter for closed fracture with routine healing  
 S72.101E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.101F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.101G ..... subsequent encounter for closed fracture with delayed healing  
 S72.101H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.101J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.101K ..... subsequent encounter for closed fracture with nonunion  
 S72.101M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.101N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.101P ..... subsequent encounter for closed fracture with malunion  
 S72.101Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.101R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.101S ..... sequela  
 S72.102 Unspecified trochanteric fracture of left femur  
 S72.102A ..... initial encounter for closed fracture  
 S72.102B ..... initial encounter for open fracture type I or II  
 S72.102C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.102D ..... subsequent encounter for closed fracture with routine healing  
 S72.102E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.102F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.102G ..... subsequent encounter for closed fracture with delayed healing  
 S72.102H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.102J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.102K ..... subsequent encounter for closed fracture with nonunion  
 S72.102M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.102N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.102P ..... subsequent encounter for closed fracture with malunion  
 S72.102Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.102R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.102S ..... sequela  
 S72.109 Unspecified trochanteric fracture of unspecified femur  
 S72.109A ..... initial encounter for closed fracture  
 S72.109B ..... initial encounter for open fracture type I or II  
 S72.109C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.109D ..... subsequent encounter for closed fracture with routine healing  
 S72.109E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.109F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.109G ..... subsequent encounter for closed fracture with delayed healing  
 S72.109H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.109J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.109K ..... subsequent encounter for closed fracture with nonunion  
 S72.109M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.109N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.109P ..... subsequent encounter for closed fracture with malunion  
 S72.109Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.109R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.109S ..... sequela  
 S72.11 Fracture of greater trochanter of femur  
 S72.111 Displaced fracture of greater trochanter of right femur  
 S72.111A ..... initial encounter for closed fracture  
 S72.111B ..... initial encounter for open fracture type I or II  
 S72.111C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.111D ..... subsequent encounter for closed fracture with routine healing  
 S72.111E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.111F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing

S72.111G ..... subsequent encounter for closed fracture with delayed healing  
 S72.111H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.111J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.111K ..... subsequent encounter for closed fracture with nonunion  
 S72.111M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.111N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.111P ..... subsequent encounter for closed fracture with malunion  
 S72.111Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.111R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.111S ..... sequela  
 S72.112 Displaced fracture of greater trochanter of left femur  
 S72.112A ..... initial encounter for closed fracture  
 S72.112B ..... initial encounter for open fracture type I or II  
 S72.112C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.112D ..... subsequent encounter for closed fracture with routine healing  
 S72.112E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.112F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.112G ..... subsequent encounter for closed fracture with delayed healing  
 S72.112H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.112J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.112K ..... subsequent encounter for closed fracture with nonunion  
 S72.112M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.112N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.112P ..... subsequent encounter for closed fracture with malunion  
 S72.112Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.112R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.112S ..... sequela  
 S72.113 Displaced fracture of greater trochanter of unspecified femur  
 S72.113A ..... initial encounter for closed fracture  
 S72.113B ..... initial encounter for open fracture type I or II  
 S72.113C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.113D ..... subsequent encounter for closed fracture with routine healing  
 S72.113E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.113F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.113G ..... subsequent encounter for closed fracture with delayed healing  
 S72.113H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.113J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.113K ..... subsequent encounter for closed fracture with nonunion  
 S72.113M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.113N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.113P ..... subsequent encounter for closed fracture with malunion  
 S72.113Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.113R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.113S ..... sequela  
 S72.114 Nondisplaced fracture of greater trochanter of right femur  
 S72.114A ..... initial encounter for closed fracture  
 S72.114B ..... initial encounter for open fracture type I or II  
 S72.114C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.114D ..... subsequent encounter for closed fracture with routine healing  
 S72.114E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.114F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.114G ..... subsequent encounter for closed fracture with delayed healing  
 S72.114H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.114J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.114K ..... subsequent encounter for closed fracture with nonunion

S72.114M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.114N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.114P ..... subsequent encounter for closed fracture with malunion  
 S72.114Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.114R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.114S ..... sequela  
 S72.115 Nondisplaced fracture of greater trochanter of left femur  
 S72.115A ..... initial encounter for closed fracture  
 S72.115B ..... initial encounter for open fracture type I or II  
 S72.115C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.115D ..... subsequent encounter for closed fracture with routine healing  
 S72.115E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.115F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.115G ..... subsequent encounter for closed fracture with delayed healing  
 S72.115H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.115J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.115K ..... subsequent encounter for closed fracture with nonunion  
 S72.115M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.115N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.115P ..... subsequent encounter for closed fracture with malunion  
 S72.115Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.115R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.115S ..... sequela  
 S72.116 Nondisplaced fracture of greater trochanter of unspecified femur  
 S72.116A ..... initial encounter for closed fracture  
 S72.116B ..... initial encounter for open fracture type I or II  
 S72.116C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.116D ..... subsequent encounter for closed fracture with routine healing  
 S72.116E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.116F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.116G ..... subsequent encounter for closed fracture with delayed healing  
 S72.116H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.116J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.116K ..... subsequent encounter for closed fracture with nonunion  
 S72.116M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.116N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.116P ..... subsequent encounter for closed fracture with malunion  
 S72.116Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.116R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.116S ..... sequela  
 S72.12 Fracture of lesser trochanter of femur  
 S72.121 Displaced fracture of lesser trochanter of right femur  
 S72.121A ..... initial encounter for closed fracture  
 S72.121B ..... initial encounter for open fracture type I or II  
 S72.121C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.121D ..... subsequent encounter for closed fracture with routine healing  
 S72.121E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.121F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.121G ..... subsequent encounter for closed fracture with delayed healing  
 S72.121H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.121J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.121K ..... subsequent encounter for closed fracture with nonunion  
 S72.121M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.121N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.121P ..... subsequent encounter for closed fracture with malunion

S72.121Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.121R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.121S ..... sequela  
 S72.122 Displaced fracture of lesser trochanter of left femur  
 S72.122A ..... initial encounter for closed fracture  
 S72.122B ..... initial encounter for open fracture type I or II  
 S72.122C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.122D ..... subsequent encounter for closed fracture with routine healing  
 S72.122E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.122F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.122G ..... subsequent encounter for closed fracture with delayed healing  
 S72.122H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.122J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.122K ..... subsequent encounter for closed fracture with nonunion  
 S72.122M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.122N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.122P ..... subsequent encounter for closed fracture with malunion  
 S72.122Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.122R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.122S ..... sequela  
 S72.123 Displaced fracture of lesser trochanter of unspecified femur  
 S72.123A ..... initial encounter for closed fracture  
 S72.123B ..... initial encounter for open fracture type I or II  
 S72.123C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.123D ..... subsequent encounter for closed fracture with routine healing  
 S72.123E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.123F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.123G ..... subsequent encounter for closed fracture with delayed healing  
 S72.123H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.123J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.123K ..... subsequent encounter for closed fracture with nonunion  
 S72.123M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.123N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.123P ..... subsequent encounter for closed fracture with malunion  
 S72.123Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.123R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.123S ..... sequela  
 S72.124 Nondisplaced fracture of lesser trochanter of right femur  
 S72.124A ..... initial encounter for closed fracture  
 S72.124B ..... initial encounter for open fracture type I or II  
 S72.124C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.124D ..... subsequent encounter for closed fracture with routine healing  
 S72.124E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.124F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.124G ..... subsequent encounter for closed fracture with delayed healing  
 S72.124H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.124J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.124K ..... subsequent encounter for closed fracture with nonunion  
 S72.124M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.124N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.124P ..... subsequent encounter for closed fracture with malunion  
 S72.124Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.124R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.124S ..... sequela  
 S72.125 Nondisplaced fracture of lesser trochanter of left femur

S72.125A ..... initial encounter for closed fracture  
 S72.125B ..... initial encounter for open fracture type I or II  
 S72.125C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.125D ..... subsequent encounter for closed fracture with routine healing  
 S72.125E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.125F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.125G ..... subsequent encounter for closed fracture with delayed healing  
 S72.125H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.125J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.125K ..... subsequent encounter for closed fracture with nonunion  
 S72.125M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.125N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.125P ..... subsequent encounter for closed fracture with malunion  
 S72.125Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.125R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.125S ..... sequela  
 S72.126 Nondisplaced fracture of lesser trochanter of unspecified femur  
 S72.126A ..... initial encounter for closed fracture  
 S72.126B ..... initial encounter for open fracture type I or II  
 S72.126C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.126D ..... subsequent encounter for closed fracture with routine healing  
 S72.126E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.126F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.126G ..... subsequent encounter for closed fracture with delayed healing  
 S72.126H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.126J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.126K ..... subsequent encounter for closed fracture with nonunion  
 S72.126M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.126N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.126P ..... subsequent encounter for closed fracture with malunion  
 S72.126Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.126R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.126S ..... sequela  
 S72.13 Apophyseal fracture of femur  
 S72.131 Displaced apophyseal fracture of right femur  
 S72.131A ..... initial encounter for closed fracture  
 S72.131B ..... initial encounter for open fracture type I or II  
 S72.131C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.131D ..... subsequent encounter for closed fracture with routine healing  
 S72.131E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.131F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.131G ..... subsequent encounter for closed fracture with delayed healing  
 S72.131H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.131J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.131K ..... subsequent encounter for closed fracture with nonunion  
 S72.131M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.131N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.131P ..... subsequent encounter for closed fracture with malunion  
 S72.131Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.131R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.131S ..... sequela  
 S72.132 Displaced apophyseal fracture of left femur  
 S72.132A ..... initial encounter for closed fracture  
 S72.132B ..... initial encounter for open fracture type I or II  
 S72.132C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC





S72.135H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.135J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.135K ..... subsequent encounter for closed fracture with nonunion  
 S72.135M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.135N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.135P ..... subsequent encounter for closed fracture with malunion  
 S72.135Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.135R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.135S ..... sequela  
 S72.136 Nondisplaced apophyseal fracture of unspecified femur  
 S72.136A ..... initial encounter for closed fracture  
 S72.136B ..... initial encounter for open fracture type I or II  
 S72.136C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.136D ..... subsequent encounter for closed fracture with routine healing  
 S72.136E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.136F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.136G ..... subsequent encounter for closed fracture with delayed healing  
 S72.136H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.136J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.136K ..... subsequent encounter for closed fracture with nonunion  
 S72.136M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.136N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.136P ..... subsequent encounter for closed fracture with malunion  
 S72.136Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.136R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.136S ..... sequela  
 S72.14 Intertrochanteric fracture of femur  
 S72.141 Displaced intertrochanteric fracture of right femur  
 S72.141A ..... initial encounter for closed fracture  
 S72.141B ..... initial encounter for open fracture type I or II  
 S72.141C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.141D ..... subsequent encounter for closed fracture with routine healing  
 S72.141E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.141F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.141G ..... subsequent encounter for closed fracture with delayed healing  
 S72.141H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.141J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.141K ..... subsequent encounter for closed fracture with nonunion  
 S72.141M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.141N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.141P ..... subsequent encounter for closed fracture with malunion  
 S72.141Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.141R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.141S ..... sequela  
 S72.142 Displaced intertrochanteric fracture of left femur  
 S72.142A ..... initial encounter for closed fracture  
 S72.142B ..... initial encounter for open fracture type I or II  
 S72.142C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.142D ..... subsequent encounter for closed fracture with routine healing  
 S72.142E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.142F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.142G ..... subsequent encounter for closed fracture with delayed healing  
 S72.142H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.142J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.142K ..... subsequent encounter for closed fracture with nonunion

S72.142M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.142N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.142P ..... subsequent encounter for closed fracture with malunion  
 S72.142Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.142R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.142S ..... sequela  
 S72.143 Displaced intertrochanteric fracture of unspecified femur  
 S72.143A ..... initial encounter for closed fracture  
 S72.143B ..... initial encounter for open fracture type I or II  
 S72.143C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.143D ..... subsequent encounter for closed fracture with routine healing  
 S72.143E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.143F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.143G ..... subsequent encounter for closed fracture with delayed healing  
 S72.143H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.143J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.143K ..... subsequent encounter for closed fracture with nonunion  
 S72.143M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.143N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.143P ..... subsequent encounter for closed fracture with malunion  
 S72.143Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.143R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.143S ..... sequela  
 S72.144 Nondisplaced intertrochanteric fracture of right femur  
 S72.144A ..... initial encounter for closed fracture  
 S72.144B ..... initial encounter for open fracture type I or II  
 S72.144C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.144D ..... subsequent encounter for closed fracture with routine healing  
 S72.144E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.144F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.144G ..... subsequent encounter for closed fracture with delayed healing  
 S72.144H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.144J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.144K ..... subsequent encounter for closed fracture with nonunion  
 S72.144M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.144N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.144P ..... subsequent encounter for closed fracture with malunion  
 S72.144Q ..... subsequent encounter for open fracture type I or II with malunion  
 S72.144R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
 S72.144S ..... sequela  
 S72.145 Nondisplaced intertrochanteric fracture of left femur  
 S72.145A ..... initial encounter for closed fracture  
 S72.145B ..... initial encounter for open fracture type I or II  
 S72.145C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
 S72.145D ..... subsequent encounter for closed fracture with routine healing  
 S72.145E ..... subsequent encounter for open fracture type I or II with routine healing  
 S72.145F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
 S72.145G ..... subsequent encounter for closed fracture with delayed healing  
 S72.145H ..... subsequent encounter for open fracture type I or II with delayed healing  
 S72.145J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
 S72.145K ..... subsequent encounter for closed fracture with nonunion  
 S72.145M ..... subsequent encounter for open fracture type I or II with nonunion  
 S72.145N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
 S72.145P ..... subsequent encounter for closed fracture with malunion  
 S72.145Q ..... subsequent encounter for open fracture type I or II with malunion

S72.145R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
S72.145S ..... sequela  
S72.146 Nondisplaced intertrochanteric fracture of unspecified femur  
S72.146A ..... initial encounter for closed fracture  
S72.146B ..... initial encounter for open fracture type I or II  
S72.146C ..... initial encounter for open fracture type IIIA, IIIB, or IIIC  
S72.146D ..... subsequent encounter for closed fracture with routine healing  
S72.146E ..... subsequent encounter for open fracture type I or II with routine healing  
S72.146F ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing  
S72.146G ..... subsequent encounter for closed fracture with delayed healing  
S72.146H ..... subsequent encounter for open fracture type I or II with delayed healing  
S72.146J ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing  
S72.146K ..... subsequent encounter for closed fracture with nonunion  
S72.146M ..... subsequent encounter for open fracture type I or II with nonunion  
S72.146N ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion  
S72.146P ..... subsequent encounter for closed fracture with malunion  
S72.146Q ..... subsequent encounter for open fracture type I or II with malunion  
S72.146R ..... subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion  
S72.146S ..... sequela

#### S32.4 Fracture of acetabulum

##### S32.40 Unspecified fracture of acetabulum

##### S32.401 Unspecified fracture of right acetabulum

S32.401A ..... initial encounter for closed fracture

S32.401B ..... initial encounter for open fracture

S32.401D ..... subsequent encounter for fracture with routine healing

S32.401G ..... subsequent encounter for fracture with delayed healing

S32.401K ..... subsequent encounter for fracture with nonunion

S32.401S ..... sequela

##### S32.402 Unspecified fracture of left acetabulum

S32.402A ..... initial encounter for closed fracture

S32.402B ..... initial encounter for open fracture

S32.402D ..... subsequent encounter for fracture with routine healing

S32.402G ..... subsequent encounter for fracture with delayed healing

S32.402K ..... subsequent encounter for fracture with nonunion

S32.402S ..... sequela

##### S32.409 Unspecified fracture of unspecified acetabulum

S32.409A ..... initial encounter for closed fracture

S32.409B ..... initial encounter for open fracture

S32.409D ..... subsequent encounter for fracture with routine healing

S32.409G ..... subsequent encounter for fracture with delayed healing

S32.409K ..... subsequent encounter for fracture with nonunion

S32.409S ..... sequela

##### S32.41 Fracture of anterior wall of acetabulum

##### S32.411 Displaced fracture of anterior wall of right acetabulum

S32.411A ..... initial encounter for closed fracture

S32.411B ..... initial encounter for open fracture

S32.411D ..... subsequent encounter for fracture with routine healing

S32.411G ..... subsequent encounter for fracture with delayed healing

S32.411K ..... subsequent encounter for fracture with nonunion

S32.411S ..... sequela

##### S32.412 Displaced fracture of anterior wall of left acetabulum

S32.412A ..... initial encounter for closed fracture

S32.412B ..... initial encounter for open fracture

S32.412D ..... subsequent encounter for fracture with routine healing

S32.412G ..... subsequent encounter for fracture with delayed healing  
 S32.412K ..... subsequent encounter for fracture with nonunion  
 S32.412S ..... sequela  
 S32.413 Displaced fracture of anterior wall of unspecified acetabulum  
 S32.413A ..... initial encounter for closed fracture  
 S32.413B ..... initial encounter for open fracture  
 S32.413D ..... subsequent encounter for fracture with routine healing  
 S32.413G ..... subsequent encounter for fracture with delayed healing  
 S32.413K ..... subsequent encounter for fracture with nonunion  
 S32.413S ..... sequela  
 S32.414 Nondisplaced fracture of anterior wall of right acetabulum  
 S32.414A ..... initial encounter for closed fracture  
 S32.414B ..... initial encounter for open fracture  
 S32.414D ..... subsequent encounter for fracture with routine healing  
 S32.414G ..... subsequent encounter for fracture with delayed healing  
 S32.414K ..... subsequent encounter for fracture with nonunion  
 S32.414S ..... sequela  
 S32.415 Nondisplaced fracture of anterior wall of left acetabulum  
 S32.415A ..... initial encounter for closed fracture  
 S32.415B ..... initial encounter for open fracture  
 S32.415D ..... subsequent encounter for fracture with routine healing  
 S32.415G ..... subsequent encounter for fracture with delayed healing  
 S32.415K ..... subsequent encounter for fracture with nonunion  
 S32.415S ..... sequela  
 S32.416 Nondisplaced fracture of anterior wall of unspecified acetabulum  
 S32.416A ..... initial encounter for closed fracture  
 S32.416B ..... initial encounter for open fracture  
 S32.416D ..... subsequent encounter for fracture with routine healing  
 S32.416G ..... subsequent encounter for fracture with delayed healing  
 S32.416K ..... subsequent encounter for fracture with nonunion  
 S32.416S ..... sequela  
 S32.42 Fracture of posterior wall of acetabulum  
 S32.421 Displaced fracture of posterior wall of right acetabulum  
 S32.421A ..... initial encounter for closed fracture  
 S32.421B ..... initial encounter for open fracture  
 S32.421D ..... subsequent encounter for fracture with routine healing  
 S32.421G ..... subsequent encounter for fracture with delayed healing  
 S32.421K ..... subsequent encounter for fracture with nonunion  
 S32.421S ..... sequela  
 S32.422 Displaced fracture of posterior wall of left acetabulum  
 S32.422A ..... initial encounter for closed fracture  
 S32.422B ..... initial encounter for open fracture  
 S32.422D ..... subsequent encounter for fracture with routine healing  
 S32.422G ..... subsequent encounter for fracture with delayed healing  
 S32.422K ..... subsequent encounter for fracture with nonunion  
 S32.422S ..... sequela  
 S32.423 Displaced fracture of posterior wall of unspecified acetabulum  
 S32.423A ..... initial encounter for closed fracture  
 S32.423B ..... initial encounter for open fracture  
 S32.423D ..... subsequent encounter for fracture with routine healing  
 S32.423G ..... subsequent encounter for fracture with delayed healing  
 S32.423K ..... subsequent encounter for fracture with nonunion  
 S32.423S ..... sequela  
 S32.424 Nondisplaced fracture of posterior wall of right acetabulum  
 S32.424A ..... initial encounter for closed fracture

S32.424B ..... initial encounter for open fracture  
 S32.424D ..... subsequent encounter for fracture with routine healing  
 S32.424G ..... subsequent encounter for fracture with delayed healing  
 S32.424K ..... subsequent encounter for fracture with nonunion  
 S32.424S ..... sequela  
 S32.425 Nondisplaced fracture of posterior wall of left acetabulum  
 S32.425A ..... initial encounter for closed fracture  
 S32.425B ..... initial encounter for open fracture  
 S32.425D ..... subsequent encounter for fracture with routine healing  
 S32.425G ..... subsequent encounter for fracture with delayed healing  
 S32.425K ..... subsequent encounter for fracture with nonunion  
 S32.425S ..... sequela  
 S32.426 Nondisplaced fracture of posterior wall of unspecified acetabulum  
 S32.426A ..... initial encounter for closed fracture  
 S32.426B ..... initial encounter for open fracture  
 S32.426D ..... subsequent encounter for fracture with routine healing  
 S32.426G ..... subsequent encounter for fracture with delayed healing  
 S32.426K ..... subsequent encounter for fracture with nonunion  
 S32.426S ..... sequela  
 S32.43 Fracture of anterior column [iliopubic] of acetabulum  
 S32.431 Displaced fracture of anterior column [iliopubic] of right acetabulum  
 S32.431A ..... initial encounter for closed fracture  
 S32.431B ..... initial encounter for open fracture  
 S32.431D ..... subsequent encounter for fracture with routine healing  
 S32.431G ..... subsequent encounter for fracture with delayed healing  
 S32.431K ..... subsequent encounter for fracture with nonunion  
 S32.431S ..... sequela  
 S32.432 Displaced fracture of anterior column [iliopubic] of left acetabulum  
 S32.432A ..... initial encounter for closed fracture  
 S32.432B ..... initial encounter for open fracture  
 S32.432D ..... subsequent encounter for fracture with routine healing  
 S32.432G ..... subsequent encounter for fracture with delayed healing  
 S32.432K ..... subsequent encounter for fracture with nonunion  
 S32.432S ..... sequela  
 S32.433 Displaced fracture of anterior column [iliopubic] of unspecified acetabulum  
 S32.433A ..... initial encounter for closed fracture  
 S32.433B ..... initial encounter for open fracture  
 S32.433D ..... subsequent encounter for fracture with routine healing  
 S32.433G ..... subsequent encounter for fracture with delayed healing  
 S32.433K ..... subsequent encounter for fracture with nonunion  
 S32.433S ..... sequela  
 S32.434 Nondisplaced fracture of anterior column [iliopubic] of right acetabulum  
 S32.434A ..... initial encounter for closed fracture  
 S32.434B ..... initial encounter for open fracture  
 S32.434D ..... subsequent encounter for fracture with routine healing  
 S32.434G ..... subsequent encounter for fracture with delayed healing  
 S32.434K ..... subsequent encounter for fracture with nonunion  
 S32.434S ..... sequela  
 S32.435 Nondisplaced fracture of anterior column [iliopubic] of left acetabulum  
 S32.435A ..... initial encounter for closed fracture  
 S32.435B ..... initial encounter for open fracture  
 S32.435D ..... subsequent encounter for fracture with routine healing  
 S32.435G ..... subsequent encounter for fracture with delayed healing  
 S32.435K ..... subsequent encounter for fracture with nonunion  
 S32.435S ..... sequela

S32.436 Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum  
 S32.436A ..... initial encounter for closed fracture  
 S32.436B ..... initial encounter for open fracture  
 S32.436D ..... subsequent encounter for fracture with routine healing  
 S32.436G ..... subsequent encounter for fracture with delayed healing  
 S32.436K ..... subsequent encounter for fracture with nonunion  
 S32.436S ..... sequela  
 S32.44 Fracture of posterior column [ilioischial] of acetabulum  
 S32.441 Displaced fracture of posterior column [ilioischial] of right acetabulum  
 S32.441A ..... initial encounter for closed fracture  
 S32.441B ..... initial encounter for open fracture  
 S32.441D ..... subsequent encounter for fracture with routine healing  
 S32.441G ..... subsequent encounter for fracture with delayed healing  
 S32.441K ..... subsequent encounter for fracture with nonunion  
 S32.441S ..... sequela  
 S32.442 Displaced fracture of posterior column [ilioischial] of left acetabulum  
 S32.442A ..... initial encounter for closed fracture  
 S32.442B ..... initial encounter for open fracture  
 S32.442D ..... subsequent encounter for fracture with routine healing  
 S32.442G ..... subsequent encounter for fracture with delayed healing  
 S32.442K ..... subsequent encounter for fracture with nonunion  
 S32.442S ..... sequela  
 S32.443 Displaced fracture of posterior column [ilioischial] of unspecified acetabulum  
 S32.443A ..... initial encounter for closed fracture  
 S32.443B ..... initial encounter for open fracture  
 S32.443D ..... subsequent encounter for fracture with routine healing  
 S32.443G ..... subsequent encounter for fracture with delayed healing  
 S32.443K ..... subsequent encounter for fracture with nonunion  
 S32.443S ..... sequela  
 S32.444 Nondisplaced fracture of posterior column [ilioischial] of right acetabulum  
 S32.444A ..... initial encounter for closed fracture  
 S32.444B ..... initial encounter for open fracture  
 S32.444D ..... subsequent encounter for fracture with routine healing  
 S32.444G ..... subsequent encounter for fracture with delayed healing  
 S32.444K ..... subsequent encounter for fracture with nonunion  
 S32.444S ..... sequela  
 S32.445 Nondisplaced fracture of posterior column [ilioischial] of left acetabulum  
 S32.445A ..... initial encounter for closed fracture  
 S32.445B ..... initial encounter for open fracture  
 S32.445D ..... subsequent encounter for fracture with routine healing  
 S32.445G ..... subsequent encounter for fracture with delayed healing  
 S32.445K ..... subsequent encounter for fracture with nonunion  
 S32.445S ..... sequela  
 S32.446 Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum  
 S32.446A ..... initial encounter for closed fracture  
 S32.446B ..... initial encounter for open fracture  
 S32.446D ..... subsequent encounter for fracture with routine healing  
 S32.446G ..... subsequent encounter for fracture with delayed healing  
 S32.446K ..... subsequent encounter for fracture with nonunion  
 S32.446S ..... sequela  
 S32.45 Transverse fracture of acetabulum  
 S32.451 Displaced transverse fracture of right acetabulum  
 S32.451A ..... initial encounter for closed fracture  
 S32.451B ..... initial encounter for open fracture  
 S32.451D ..... subsequent encounter for fracture with routine healing

S32.451G ..... subsequent encounter for fracture with delayed healing  
 S32.451K ..... subsequent encounter for fracture with nonunion  
 S32.451S ..... sequela  
 S32.452 Displaced transverse fracture of left acetabulum  
 S32.452A ..... initial encounter for closed fracture  
 S32.452B ..... initial encounter for open fracture  
 S32.452D ..... subsequent encounter for fracture with routine healing  
 S32.452G ..... subsequent encounter for fracture with delayed healing  
 S32.452K ..... subsequent encounter for fracture with nonunion  
 S32.452S ..... sequela  
 S32.453 Displaced transverse fracture of unspecified acetabulum  
 S32.453A ..... initial encounter for closed fracture  
 S32.453B ..... initial encounter for open fracture  
 S32.453D ..... subsequent encounter for fracture with routine healing  
 S32.453G ..... subsequent encounter for fracture with delayed healing  
 S32.453K ..... subsequent encounter for fracture with nonunion  
 S32.453S ..... sequela  
 S32.454 Nondisplaced transverse fracture of right acetabulum  
 S32.454A ..... initial encounter for closed fracture  
 S32.454B ..... initial encounter for open fracture  
 S32.454D ..... subsequent encounter for fracture with routine healing  
 S32.454G ..... subsequent encounter for fracture with delayed healing  
 S32.454K ..... subsequent encounter for fracture with nonunion  
 S32.454S ..... sequela  
 S32.455 Nondisplaced transverse fracture of left acetabulum  
 S32.455A ..... initial encounter for closed fracture  
 S32.455B ..... initial encounter for open fracture  
 S32.455D ..... subsequent encounter for fracture with routine healing  
 S32.455G ..... subsequent encounter for fracture with delayed healing  
 S32.455K ..... subsequent encounter for fracture with nonunion  
 S32.455S ..... sequela  
 S32.456 Nondisplaced transverse fracture of unspecified acetabulum  
 S32.456A ..... initial encounter for closed fracture  
 S32.456B ..... initial encounter for open fracture  
 S32.456D ..... subsequent encounter for fracture with routine healing  
 S32.456G ..... subsequent encounter for fracture with delayed healing  
 S32.456K ..... subsequent encounter for fracture with nonunion  
 S32.456S ..... sequela  
 S32.46 Associated transverse-posterior fracture of acetabulum  
 S32.461 Displaced associated transverse-posterior fracture of right acetabulum  
 S32.461A ..... initial encounter for closed fracture  
 S32.461B ..... initial encounter for open fracture  
 S32.461D ..... subsequent encounter for fracture with routine healing  
 S32.461G ..... subsequent encounter for fracture with delayed healing  
 S32.461K ..... subsequent encounter for fracture with nonunion  
 S32.461S ..... sequela  
 S32.462 Displaced associated transverse-posterior fracture of left acetabulum  
 S32.462A ..... initial encounter for closed fracture  
 S32.462B ..... initial encounter for open fracture  
 S32.462D ..... subsequent encounter for fracture with routine healing  
 S32.462G ..... subsequent encounter for fracture with delayed healing  
 S32.462K ..... subsequent encounter for fracture with nonunion  
 S32.462S ..... sequela  
 S32.463 Displaced associated transverse-posterior fracture of unspecified acetabulum  
 S32.463A ..... initial encounter for closed fracture

S32.463B ..... initial encounter for open fracture  
 S32.463D ..... subsequent encounter for fracture with routine healing  
 S32.463G ..... subsequent encounter for fracture with delayed healing  
 S32.463K ..... subsequent encounter for fracture with nonunion  
 S32.463S ..... sequela  
 S32.464 Nondisplaced associated transverse-posterior fracture of right acetabulum  
 S32.464A ..... initial encounter for closed fracture  
 S32.464B ..... initial encounter for open fracture  
 S32.464D ..... subsequent encounter for fracture with routine healing  
 S32.464G ..... subsequent encounter for fracture with delayed healing  
 S32.464K ..... subsequent encounter for fracture with nonunion  
 S32.464S ..... sequela  
 S32.465 Nondisplaced associated transverse-posterior fracture of left acetabulum  
 S32.465A ..... initial encounter for closed fracture  
 S32.465B ..... initial encounter for open fracture  
 S32.465D ..... subsequent encounter for fracture with routine healing  
 S32.465G ..... subsequent encounter for fracture with delayed healing  
 S32.465K ..... subsequent encounter for fracture with nonunion  
 S32.465S ..... sequela  
 S32.466 Nondisplaced associated transverse-posterior fracture of unspecified acetabulum  
 S32.466A ..... initial encounter for closed fracture  
 S32.466B ..... initial encounter for open fracture  
 S32.466D ..... subsequent encounter for fracture with routine healing  
 S32.466G ..... subsequent encounter for fracture with delayed healing  
 S32.466K ..... subsequent encounter for fracture with nonunion  
 S32.466S ..... sequela  
 S32.47 Fracture of medial wall of acetabulum  
 S32.471 Displaced fracture of medial wall of right acetabulum  
 S32.471A ..... initial encounter for closed fracture  
 S32.471B ..... initial encounter for open fracture  
 S32.471D ..... subsequent encounter for fracture with routine healing  
 S32.471G ..... subsequent encounter for fracture with delayed healing  
 S32.471K ..... subsequent encounter for fracture with nonunion  
 S32.471S ..... sequela  
 S32.472 Displaced fracture of medial wall of left acetabulum  
 S32.472A ..... initial encounter for closed fracture  
 S32.472B ..... initial encounter for open fracture  
 S32.472D ..... subsequent encounter for fracture with routine healing  
 S32.472G ..... subsequent encounter for fracture with delayed healing  
 S32.472K ..... subsequent encounter for fracture with nonunion  
 S32.472S ..... sequela  
 S32.473 Displaced fracture of medial wall of unspecified acetabulum  
 S32.473A ..... initial encounter for closed fracture  
 S32.473B ..... initial encounter for open fracture  
 S32.473D ..... subsequent encounter for fracture with routine healing  
 S32.473G ..... subsequent encounter for fracture with delayed healing  
 S32.473K ..... subsequent encounter for fracture with nonunion  
 S32.473S ..... sequela  
 S32.474 Nondisplaced fracture of medial wall of right acetabulum  
 S32.474A ..... initial encounter for closed fracture  
 S32.474B ..... initial encounter for open fracture  
 S32.474D ..... subsequent encounter for fracture with routine healing  
 S32.474G ..... subsequent encounter for fracture with delayed healing  
 S32.474K ..... subsequent encounter for fracture with nonunion  
 S32.474S ..... sequela



S32.475 Nondisplaced fracture of medial wall of left acetabulum  
 S32.475A ..... initial encounter for closed fracture  
 S32.475B ..... initial encounter for open fracture  
 S32.475D ..... subsequent encounter for fracture with routine healing  
 S32.475G ..... subsequent encounter for fracture with delayed healing  
 S32.475K ..... subsequent encounter for fracture with nonunion  
 S32.475S ..... sequela  
 S32.476 Nondisplaced fracture of medial wall of unspecified acetabulum  
 S32.476A ..... initial encounter for closed fracture  
 S32.476B ..... initial encounter for open fracture  
 S32.476D ..... subsequent encounter for fracture with routine healing  
 S32.476G ..... subsequent encounter for fracture with delayed healing  
 S32.476K ..... subsequent encounter for fracture with nonunion  
 S32.476S ..... sequela  
 S32.48 Dome fracture of acetabulum  
 S32.481 Displaced dome fracture of right acetabulum  
 S32.481A ..... initial encounter for closed fracture  
 S32.481B ..... initial encounter for open fracture  
 S32.481D ..... subsequent encounter for fracture with routine healing  
 S32.481G ..... subsequent encounter for fracture with delayed healing  
 S32.481K ..... subsequent encounter for fracture with nonunion  
 S32.481S ..... sequela  
 S32.482 Displaced dome fracture of left acetabulum  
 S32.482A ..... initial encounter for closed fracture  
 S32.482B ..... initial encounter for open fracture  
 S32.482D ..... subsequent encounter for fracture with routine healing  
 S32.482G ..... subsequent encounter for fracture with delayed healing  
 S32.482K ..... subsequent encounter for fracture with nonunion  
 S32.482S ..... sequela  
 S32.483 Displaced dome fracture of unspecified acetabulum  
 S32.483A ..... initial encounter for closed fracture  
 S32.483B ..... initial encounter for open fracture  
 S32.483D ..... subsequent encounter for fracture with routine healing  
 S32.483G ..... subsequent encounter for fracture with delayed healing  
 S32.483K ..... subsequent encounter for fracture with nonunion  
 S32.483S ..... sequela  
 S32.484 Nondisplaced dome fracture of right acetabulum  
 S32.484A ..... initial encounter for closed fracture  
 S32.484B ..... initial encounter for open fracture  
 S32.484D ..... subsequent encounter for fracture with routine healing  
 S32.484G ..... subsequent encounter for fracture with delayed healing  
 S32.484K ..... subsequent encounter for fracture with nonunion  
 S32.484S ..... sequela  
 S32.485 Nondisplaced dome fracture of left acetabulum  
 S32.485A ..... initial encounter for closed fracture  
 S32.485B ..... initial encounter for open fracture  
 S32.485D ..... subsequent encounter for fracture with routine healing  
 S32.485G ..... subsequent encounter for fracture with delayed healing  
 S32.485K ..... subsequent encounter for fracture with nonunion  
 S32.485S ..... sequela  
 S32.486 Nondisplaced dome fracture of unspecified acetabulum  
 S32.486A ..... initial encounter for closed fracture  
 S32.486B ..... initial encounter for open fracture  
 S32.486D ..... subsequent encounter for fracture with routine healing  
 S32.486G ..... subsequent encounter for fracture with delayed healing

S32.486K ..... subsequent encounter for fracture with nonunion  
S32.486S ..... sequela  
S32.49 Other specified fracture of acetabulum  
S32.491 Other specified fracture of right acetabulum  
S32.491A ..... initial encounter for closed fracture  
S32.491B ..... initial encounter for open fracture  
S32.491D ..... subsequent encounter for fracture with routine healing  
S32.491G ..... subsequent encounter for fracture with delayed healing  
S32.491K ..... subsequent encounter for fracture with nonunion  
S32.491S ..... sequela  
S32.492 Other specified fracture of left acetabulum  
S32.492A ..... initial encounter for closed fracture  
S32.492B ..... initial encounter for open fracture  
S32.492D ..... subsequent encounter for fracture with routine healing  
S32.492G ..... subsequent encounter for fracture with delayed healing  
S32.492K ..... subsequent encounter for fracture with nonunion  
S32.492S ..... sequela  
S32.499 Other specified fracture of unspecified acetabulum  
S32.499A ..... initial encounter for closed fracture  
S32.499B ..... initial encounter for open fracture  
S32.499D ..... subsequent encounter for fracture with routine healing  
S32.499G ..... subsequent encounter for fracture with delayed healing  
S32.499K ..... subsequent encounter for fracture with nonunion  
S32.499S ..... sequela

M80.059 Age-related osteoporosis with current pathological fracture, unspecified femur

M80.059A ..... initial encounter for fracture  
M80.059D ..... subsequent encounter for fracture with routine healing  
M80.059G ..... subsequent encounter for fracture with delayed healing  
M80.059K ..... subsequent encounter for fracture with nonunion  
M80.059P ..... subsequent encounter for fracture with malunion  
M80.059S ..... sequela

M84.35 Stress fracture, pelvis and femur

M84.350 Stress fracture, pelvis  
M84.350A ..... initial encounter for fracture  
M84.350D ..... subsequent encounter for fracture with routine healing  
M84.350G ..... subsequent encounter for fracture with delayed healing  
M84.350K ..... subsequent encounter for fracture with nonunion  
M84.350P ..... subsequent encounter for fracture with malunion  
M84.350S ..... sequela

M84.353 Stress fracture, unspecified femur

M84.353A ..... initial encounter for fracture  
M84.353D ..... subsequent encounter for fracture with routine healing  
M84.353G ..... subsequent encounter for fracture with delayed healing  
M84.353K ..... subsequent encounter for fracture with nonunion  
M84.353P ..... subsequent encounter for fracture with malunion  
M84.353S ..... sequela

M84.359 Stress fracture, hip, unspecified

M84.359A ..... initial encounter for fracture  
M84.359D ..... subsequent encounter for fracture with routine healing  
M84.359G ..... subsequent encounter for fracture with delayed healing  
M84.359K ..... subsequent encounter for fracture with nonunion  
M84.359P ..... subsequent encounter for fracture with malunion  
M84.359S ..... sequela

M84.45 Pathological fracture, femur and pelvis  
M84.451 Pathological fracture, right femur  
M84.451A ..... initial encounter for fracture  
M84.451D ..... subsequent encounter for fracture with routine healing  
M84.451G ..... subsequent encounter for fracture with delayed healing  
M84.451K ..... subsequent encounter for fracture with nonunion  
M84.451P ..... subsequent encounter for fracture with malunion  
M84.451S ..... sequela  
M84.452 Pathological fracture, left femur  
M84.452A ..... initial encounter for fracture  
M84.452D ..... subsequent encounter for fracture with routine healing  
M84.452G ..... subsequent encounter for fracture with delayed healing  
M84.452K ..... subsequent encounter for fracture with nonunion  
M84.452P ..... subsequent encounter for fracture with malunion  
M84.452S ..... sequela  
M84.453 Pathological fracture, unspecified femur  
M84.453A ..... initial encounter for fracture  
M84.453D ..... subsequent encounter for fracture with routine healing  
M84.453G ..... subsequent encounter for fracture with delayed healing  
M84.453K ..... subsequent encounter for fracture with nonunion  
M84.453P ..... subsequent encounter for fracture with malunion  
M84.453S ..... sequela  
M84.454 Pathological fracture, pelvis  
M84.454A ..... initial encounter for fracture  
M84.454D ..... subsequent encounter for fracture with routine healing  
M84.454G ..... subsequent encounter for fracture with delayed healing  
M84.454K ..... subsequent encounter for fracture with nonunion  
M84.454P ..... subsequent encounter for fracture with malunion  
M84.454S ..... sequela  
M84.459 Pathological fracture, hip, unspecified  
M84.459A ..... initial encounter for fracture  
M84.459D ..... subsequent encounter for fracture with routine healing  
M84.459G ..... subsequent encounter for fracture with delayed healing  
M84.459K ..... subsequent encounter for fracture with nonunion  
M84.459P ..... subsequent encounter for fracture with malunion  
M84.459S ..... sequela  
  
M84.55 Pathological fracture in neoplastic disease, pelvis and femur  
M84.550 Pathological fracture in neoplastic disease, pelvis  
M84.550A ..... initial encounter for fracture  
M84.550D ..... subsequent encounter for fracture with routine healing  
M84.550G ..... subsequent encounter for fracture with delayed healing  
M84.550K ..... subsequent encounter for fracture with nonunion  
M84.550P ..... subsequent encounter for fracture with malunion  
M84.550S ..... sequela  
M84.553 Pathological fracture in neoplastic disease, unspecified femur  
M84.553A ..... initial encounter for fracture  
M84.553D ..... subsequent encounter for fracture with routine healing  
M84.553G ..... subsequent encounter for fracture with delayed healing  
M84.553K ..... subsequent encounter for fracture with nonunion  
M84.553P ..... subsequent encounter for fracture with malunion  
M84.553S ..... sequela  
M84.559 Pathological fracture in neoplastic disease, hip, unspecified  
M84.559A ..... initial encounter for fracture

M84.559D ..... subsequent encounter for fracture with routine healing  
M84.559G ..... subsequent encounter for fracture with delayed healing  
M84.559K ..... subsequent encounter for fracture with nonunion  
M84.559P ..... subsequent encounter for fracture with malunion  
M84.559S ..... sequela